**High Impact Polystyrene** 

Safety Data Sheet According to Regulation (EC) 1907/2006 (REACH) Date of compilation (version no.): 2017/06/01 (1) Revision (revision no.): - (-) Previous editions and revisions of this document have lost their validity

# SECTION 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

**1.1. Product identifier**Product name:Polystyrene modified by polybutadiene rubberTrade name:SYNTHOS PS HI grades: 336M, 552M, 562E, 662E, 336C, 552C, 562C, 945EEC no.Polymer exempt

REACH registration number: Polymer exempt

#### 1.2. Relevant identified uses of the mixture and uses advised against

#### **Identified uses**

According to the used type, for example for manufacture of products with complicated shapes and thin-walled products, electrical parts, boards, foils, packaging (for example milk industry - for low-fat foodstuffs) etc

Outdoor and indoor use of articles manufactured from the product by professional users and by consumers.

#### Uses advised against None.

### **1.3.** Details of the supplier of the safety data sheet

Synthos S.A. ul. Chemików 1 32-600 Oswiecim Poland Tel. + 48 33 844 18 21...25 Fax + 48 33 842 42 18

#### reachSD@synthosgroup.com

Plant productions:

- Synthos Dwory 7 spółka z ograniczoną odpowiedzialnością spółka jawna, ul. Chemików 1, Oświęcim, Poland
- Synthos Kralupy a.s., 278 01 Kralupy nad Wełtawą, Czechy, O. Wichterleho 810, Czech Republic

### **1.4. Emergency telephone number**

Poland: 48 33 847 22 23 (available 24/7) Czech Republic: +420 315 727 085, +420 315 713 041

# SECTION 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the mixture

2.1.1. Classification of the mixture in accordance with Regulation (EC) No 1272/2008

This product is not classified as dangerous.

2.2. Label elements

In accordance with EU and national laws labelling of the product is not required.

2.3. Other hazards

The product contains no substances that meet the criteria for PBT or vPvB in accordance with Annex XIII.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances
Not applicable
3.2 Mixtures
This product is a mixture.
The product contains no dangerous components which listing in this section is required in accordance with the Annex II to REACH Regulation.



# **High Impact Polystyrene**

Safety Data Sheet According to Regulation (EC) 1907/2006 (REACH) Version no. (revision no): 1 (-)

#### **SECTION 4. FIRST AID MEASURES**

#### **4.1. Description of first aid measures**

### 4.1.1. Inhalation

In normal conditions of use and storage the product creates no danger via inhalation exposure. In case inhalation of vapours released by/from the melted product causes nausea go out to fresh air. Rinse throat with water. Consult a physician in case symptoms persist.

#### 4.1.2. Skin contact

Wash skin with plenty of water and soap. In case of contact of melted product with skin, immediately cool down the melted plastic and surrounding skin with plenty of water. Do not attempt to remove adhered product from skin or clothing. Apply sterile dressing. Immediately call medical help.

#### 4.1.3. Eye contact

Thoroughly rinse eyes with plenty of water for at least 15 minutes while lifting the eyelids. In case of contact of melted product with eyes, immediately cool down the melted plastic and continue rinsing eyes for at least 15 minutes. Check for and remove (if any and if possible) contact lenses (unless they adhered to eyes). Provide medical help.

#### 4.1.4. Ingestion/swallow

Consult a physician

#### 4.2. Most important symptoms and effects, both acute and delayed

Upon direct contact with the product susceptible persons may suffer from skin/eye irritations. **4.3. Indication of any immediate medical attention and special treatment needed** None.

#### **SECTION 5. FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### 5.1.1. Suitable extinguishing media

Extinguishing powders, carbon dioxide, foam, water spray.

#### 5.1.2. Unsuitable extinguishing media

Water jet.

#### 5.2. Special hazards arising from the mixture

Specific hazard is created by the polystyrene dusts, which once ignited may begin to burn or explode. Lower explosive limit for polystyrene dust is ca. 20 g/m<sup>3</sup>. Polystyrene dusts ignition or explosion may be delayed, for instance due to initially unnoticed smouldering of polystyrene dusts accumulated on hot surfaces of pipelines, lamps, extrusion machines etc.

During the fire of the product release of toxic and dense vapours and fumes containing carbon dioxide, carbon monoxide, styrene, benzene and other hydrocarbons, may take place.

Warning, spilled product creates risk of slide and fall.

Upon heating the product first softens, then melts and dribbles.

Extinguished product should be soaked thoroughly with water to cool it down and prevent re-ignition. **5.3. Advice for fire-fighters** 

Evacuate personnel from the endangered area immediately.

Fire-fighters should wear full bunker gear and SCBA approved by relevant authorities.

Extinguished rubber should be soaked thoroughly with water to cool it down and prevent re-ignition. **5.4. Other information** 

Dispose of fire debris and contaminated extinguishing water in accordance with regulations in force. Collect contaminated extinguishing water separately, do not allow it to reach sewage or effluent systems.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

#### **6.1.1.** For non-emergency personnel

Avoid contact with the product. Scattered product crates the danger of slide and/or fall. Follow advice and instructions of emergency responders.



**High Impact Polystyrene** 

Safety Data Sheet According to Regulation (EC) 1907/2006 (REACH) Version no. (revision no): 1 (-)

# **6.1.2.** For emergency responders

Wear work clothing. Avoid contact with the product. If necessary use personal protective equipment. Avoid breathing dust. Scattered product crates the danger of slide and/or fall.

6.2. Environmental precautions

None.

6.3. Methods and material for containment and cleaning up

6.3.1. Methods and material for containment

None.

6.3.2. Methods and material for cleaning up

Collect the product to a labelled container. Use gloves, broom and a shovel or a vacuum cleaner. Use or dispose of in accordance with regulations in force.

6.4. Reference to other sections

Not applicable.

# SECTION 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Observe basic regulations of safety and hygiene at the workplace as well as operating instructions and fire–fighting safety.

When using do not eat or drink.

Wear suitable working clothing. If necessary use personal protection equipment.

Prevent dust formation and accumulation.

Scattered product poses risk of slide and fall. Keep workplace clean.

During processing of the product small amounts of decomposition product may be released, use proper ventilation at the workplace.

During pouring and in pneumatic conveying systems static electricity may accumulate – pipelines, reservoirs etc. have to be protected against this phenomenon.

7.2. Conditions for safe storage, including any incompatibilities

The granulate is stored in PE bags or in octabins with PE lining or in stainless steel tanks, observe fire prevention measures.

Protect against moisture, light and weather.

Keep away from sources of heat and fire.

Amount storage limits are not determined.

**7.3. Specific end use(s)** Not applicable.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters 8.1.1. Occupational exposure limits Not determined. 8.1.2. DN(M)EL levels 8.1.2.1. DN(M)EL levels - workers N/A 8.1.2.2. DN(M)EL levels - general population N/A 8.1.3. PNEC levels N/A 8.2. Exposure controls 8.2.1. Appropriate engineering controls Provide ventilation of the workplace. 8.2.2. Individual protection measures, such as personal protective equipment 8.2.2.1. Eye/face protection Workers performing activities for which exposure to particles that are capable of causing mechanical injury to the eye have to wear protective goggles.



**High Impact Polystyrene** 

Safety Data Sheet According to Regulation (EC) 1907/2006 (REACH) Version no. (revision no): 1 (-)

8.2.2.2. Skin protection

 Hand protection

 Not required.

 Other

 Wear work clothing and shoes.

 8.2.2.3. Respiratory protection

 Not necessary in ventilated areas.

 8.2.2.4. Thermal hazards

 The product creates no thermal hazards.

 8.2.3. Environmental exposure controls

 The product is not dangerous for the environment and water.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

<ul> <li>9.1. Information on basic physical and cl</li> <li>a) Appearance</li> <li>b) Odour</li> <li>c) Odour threshold</li> <li>d) pH</li> <li>e) Melting point/freezing point</li> <li>f) Initial boiling point and boiling range</li> <li>g) Flash point</li> <li>h) Evaporation rate</li> <li>i) Flammability (solid, gas)</li> <li>j) Upper/lower flammability or explosive limit</li> <li>k) Vapour pressure</li> <li>l) Vapour density</li> <li>m) Relative density</li> <li>n) Solubility</li> </ul>	colourless granulate odourless data not available not applicable not applicable not applicable – decomposes data not available not applicable data not available s lower explosive limit of polystyrene dusts ca. 20 g/m <sup>3</sup> not applicable not applicable 1,04 – 1,06 g/cm <sup>3</sup> @ 20°C insoluble in water soluble in most organic solvent: esters, aromatic hydrocarbons, chlorinated hydrocarbons, ketones and
<ul> <li>o) Partition coefficient: n-octanol/water</li> <li>p) Auto-ignition temperature</li> <li>q) Decomposition temperature</li> <li>r) Viscosity</li> <li>c) Explosive properties</li> </ul>	eters not applicable data not available ca. 220°C 250 ÷ 280°C range at which product may decompose at noticeable rate > 300°C intensive decomposition of the product is observed not applicable
<ul> <li>s) Explosive properties</li> <li>t) Oxidising properties</li> <li>9.2. Other information</li> <li>u) Heat of combustion</li> <li>v) Polymerization heat</li> <li>w) Bulk density</li> <li>x) Softening point</li> </ul>	not applicable not applicable ca. 45 MJ/kg not applicable 600 ÷ 700 kg/m <sup>3</sup> @ 20°C depends on type, grade and heating rate ca. 90°C softens (becomes elastic) ca. 130°C flows (becomes plastic)


# SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity
See Section 10.3 of this Safety Data Sheet.
10.2. Chemical stability
The product is stable under given herein conditions of use and storage.



# **High Impact Polystyrene**

Safety Data Sheet According to Regulation (EC) 1907/2006 (REACH) Version no. (revision no): 1 (-)



Occurrence of hazardous reactions is unlikely.

**10.4.** Conditions to avoid

High temperature, direct sunlight.

**10.5. Incompatible materials** 

Organic solvents. Strong oxidizers.

#### **10.6.** Hazardous decomposition products

Thermal decomposition of the product starts at ca. 220°C and is accompanied by formation and subsequent release of styrene, aromatic hydrocarbons and their derivatives.

### SECTION 11. TOXICOLOGICAL INFORMATION

No data on toxicological properties of the product as such is available. Hazards which the product creates to the human health and life have been assessed in accordance with rules applicable for mixtures (see also Section 2 of this Safety Data Sheet).

#### **11.1.** Information on toxicological effects

11.1.1. Acute toxicity

Based on available data, the classification criteria are not met.

11.1.2. Skin corrosion/irritation

Based on available data, the classification criteria are not met.

11.1.3. Serious eye damage/irritation

Based on available data, the classification criteria are not met.

11.1.4. Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

11.1.5. Germ cell mutagenicity

Based on available data, the classification criteria are not met. **11.1.6. Carcinogenicity** 

Based on available data, the classification criteria are not met.

**11.1.7. Reproductive toxicity** 

Based on available data, the classification criteria are not met.

11.1.8. STOT-single exposure

Based on available data, the classification criteria are not met.

11.1.9. STOT-repeated exposure

Based on available data, the classification criteria are not met.

**11.1.10.** Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on likely routes of exposure

Dermal, inhalation.

**11.3. Symptoms related to the physical, chemical and toxicological characteristics** Data not available.

**11.4.** Delayed and immediate effects as well as chronic effects from short and long-term exposure

Data not available.

# SECTION 12. ECOLOGICAL INFORMATION

No data on ecotoxicological properties of the product as such is available. Hazards which the product creates to the environment have been assessed in accordance with rules applicable for mixtures (see also Section 2 of this Safety Data Sheet).

12.1. Toxicity

The product is not classified as dangerous to the environment.

12.2. Persistence and degradability

The main component of the product (polymer) does not undergo biodegradation, oxidation or hydrolysis at noticeable rate.



**High Impact Polystyrene** 

Safety Data Sheet According to Regulation (EC) 1907/2006 (REACH) Version no. (revision no): 1 (-)

## 12.3. Bioaccumulative potential

Based on chemical structure it is expected that the main component of the product (polymer) will not undergo bioaccumulation.

12.4. Mobility in soil

Data not available

# 12.5. Results of PBT and vPvB assessment

The product contains no substances which have been identified as PBT/vPvB.

12.6. Other adverse effects

Data not available.

# SECTION 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

The product waste will be primarily handed over to secondary use. The waste which cannot be handed over to secondary use will be disposed of (through biological, physical or chemical processes; or, optionally, through storing).

Only the waste that cannot be disposed of in another way, either for technological, environmental or economic reasons, will be stored.

Waste secondary use and disposal will be carried out only on a specified place in facilities meeting relevant requirements according to valid regulations.

Waste code: starting product: 07 02 13 - 0

The packaging is not contaminated - may be re-used.

# SECTION 14. TRANSPORT INFORMATION

Transport and packaging of the product are not subject to regulations on transport of hazardous goods (ADR, RID, IATA DGR, IMDG). Transport the product using covered means of transport. 14.1. UN number Not applicable. 14.2. UN proper shipping name Not applicable. 14.3. Transport hazard class(es) Not applicable. 14.4. Packing group Not applicable. 14.5. Environmental hazards Not applicable. 14.6. Special precautions for user Not applicable. 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

# SECTION 15. REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the mixture

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (including any amendments/adaptations to technical progress). REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (including any amendments/adaptations to technical progress).

DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives (including any amendments/adaptations to technical progress).

•-



**High Impact Polystyrene** 

Safety Data Sheet According to Regulation (EC) 1907/2006 (REACH) Version no. (revision no): 1 (-)

### 15.2. Chemical safety assessment

The supplier has not carried out chemical safety assessment for the mixture. In accordance with provisions of REACH regulation carrying out of chemical safety assessment for this product is not required.

# **SECTION 16. OTHER INFORMATION**

### 16.1. Revised sections

N/A

16.2. List of relevant R phrases, hazard statements, safety phrases and/or precautionary statements given under Sections 2 to 15 and (if applicable) full text of any statements which are not written out in full under the aforementioned Sections

vPvB PBT	Very persistent and very bioaccumulative (substance)
I BI	Persistent, bioaccumulative and toxic (substance)
DN(M)EL NOAEL	Derived No (Minimal) Effect Levels No Observed Adverse Effect Level
NUAEL	
LD50	Lethal Dose 50%, dose required to kill half the members of a tested population after a specified test duration
EC50	Half maximal effective concentration, concentration which induces a response halfway between the baseline and maximum after some specified exposure time
NOEC	No Observed Effect Concentration
RID	The International Rule for Transport of Dangerous Substances by Railway
ADR	The European Agreement concerning the International Carriage of Dangerous Goods by Road

This document is of an informative character. The information given herein is based on the present state of our knowledge and experience. It makes neither product properties nor qualitative parameters guarantee and cannot be used as a basis of any claims. The information provided is not applicable for any occupational hygiene practice and recommendations given its Safety Data Sheet.



Synthos S.A.

www.synthosgroup.com